First of four pages

POPULATION ESTIMATES		LONG-TERM CARE			LOCAL HEALTH DEPARTMENTS			
   Total 2001 Population	43,610	   Community Options   MA Waiver Programs	and				   Per   10,000	
Population per square mile County ranking in state ( ?	33 1-72) 46	Tink Warver Frograms     Cli   COP   MA_Waiver *		Costs   \$323 672	Staffing - FTE Notal staff Administrative Professional staff Technical/Paraprof. Support staff	Number 16	Population   3.7	
Age	Total 8,400	COT   MA Waiver *   CTP1A	11	\$525,072       \$565,899	Professional staff Technical/Paraprof	9	2.0	
15-19	3,340 3,020	CIP1A CIP1B CIP2 COP-W	112 106	\$2,372,413   \$1.016.144	Support staff	4	0.9	
25-29	2,610 2,670	COP-W CSLA	194	\$956,799   \$0	Funding Total \$1,24 Local Taxes \$69	18,364	Per capita   \$28.69	
35-39     1,750     1,620       40-44     1,710     1,840       45-54     3,120     3,280	3,380 3,550 6,390	CSLA   Brain Injury   Total COP/Wvrs	385	\$101,848   \$5,336,776	Local laxes \$69			
j 55-64 1,940 1,970	3,910	\$388,740 of the	above	waiver costs			i	
65-74	3,060 2,400 880	were paid as loca susing COP funds. not included in a	This a	/overmatch   mount is   P costs.	Type Cap Bed & Breakfast Camps Hotels, Motels Tourist Rooming	acity 12 1,313	Facilities   3   35	
Total 22,120 21,490 Age Female Male	43,610 Total	   * Waiver costs re   include federal	ported	here i	Hotels, Motels Tourist Rooming Pools	1,073 45	46   16   34	
0-17 4,960 5,320 1 18-44 8,340 8,350	10,280 16,690	l Cli	ents	Costs	Restaurants		116   10	
45-64	10,300 6,340 43,610	Eligible and   Waiting	158	n/a				
	43,010	(Family Care not p	rovided	in county)	WIC PARTIC	PANTS		
Poverty Estimates for 2000 Estimate (0 All ages 4,755	C.I.+/-) 265	     Note: Eligible and	waitin	g clients	Pregnant/Postpartum		Number   559	
All ages	( 6%) 112 ( 8%)	will be phased i   Waivers as avail 	nto the able.	COP and MA     	Infants Children, age 1-4 Total		563   787   1,909	
 					CANCER INC	DENCE		
Average wage for jobs covered by unemployment compensation Note: based on place of work	\$25,338 Annual	Patients   Patients per 10,0	00 pop.	98	Primary Site Breast		1999   Number   38	
  Labor Force Estimates	Average	   Nursing Homes   Licensed beds		4   481	Cervical Colorectal		5 j 22 j	
Labor Force Estimates   Civilian Labor Force   Number employed   Number unemployed   Unemployment rate	22,870 21,714 1.156	Occupancy rate   Residents on Dec.   Residents age 65	31 or olde	82.2%   412   r	Trachea, Bronchus, Lur Prostate Other sites	ng	27   19   60	
Unemployment rate	5.1%	per 1,000 popula	tion	62	Total		171   	

COTAL LIVE DIRIUG			NATA			Manda and Charl		
TOTAL LIVE BIRTHS		513	Birth Order	Births	Percent	Marital Status	D :	ъ.
		44 -	First	205	40	of Mother	Births	Percent
Crude Live Birth Rate		11.7	Second	165	32	Married	323	63
General Fertility Rate	e	55.4	Third	88	17	Not married	190	37
<u>-</u>			Fourth or higher	55	11	Unknown	0	0
ive births with repor	rted		Unknown	Θ	0			
congenital anomalies	2	0.4%		_	_	Education		
ongenitur anomaries	_	0.170	First Prenatal			of Mother	Births	Percent
Delivery Type	Births	Parcent	Visit	Births	Percent	Elementary or le		<.5
Vaginal after	טוו נווט	rercent	1st trimester	443	86	Some high school		10
	1.7	2				Joine High School		
_previous cesarean	13	3	2nd trimester	56	11	High school	161	31
Forceps	4	_1	3rd trimester	12	2	Some college	181	35
Other vaginal	384	75	No visits	1	< . 5	Some college College graduate	115	22
Primary cesarean	67	13	Unknown	1	< . 5	Unknown	3	1
Repeat cesarean	44	9						
Other or unknown	1	< . 5	Number of Prenatal	L		Smoking Status		
	_		Care visits	Births	Percent	of Mother	Births	Percent
Birthweight	Births	Percent	No visits	1	<.5	Smoker	124	24
<1,500 gm	7	1.4	1-4	18	4	Nonsmoker	388	76
1,500-2,499 gm	23	4.5	5-9	117	23	Unknown	366 1	<.5
1,300-2,433 giii	483	94.2	10-12	257	23 50	UIIKIIUWII	т.	`.5
2,500+ gm								
Unknown	0	0	13+ Unknown	119 1	23 <.5			
				_				
				1st Tr Births	Trimest	er of First Prenata		
			(under 2,500 gm)	1st Tr	imester	2nd Trimester		Unknown
Race of Mother	Births Pe		Births Percent	Births	Percent		Births	Percent
White	487	95	25 5.1	424	87	50 10	13	3
Black	5	1		5	100			
Other	21	4	5 23.8	14	67	6 29	ĺ	5
Unknown	0	Ö		<b>-</b> ·			-	
			Low Birthweight			er of First Prenata		·
	Eas	+ i 1 i + v		1st Tr		er of First Frenata. 2nd Trimester		Illakasus
age of Mother		tility						Unknown
Nge of Mother		Rate	Births Percent	Births	Percent	Births Percent	Births	Percent
<15	0		: -:-		-:	: _:	•	•
15-17	18	20	1 5.6	14	78	4 22	•	•_
18-19	35	45	3 8.6	28	80	5 14	2	6
20-24	145	96	10 6.9	120	83	19 13	6	4
25-29	139	107	10 7.2	122	88	14 10	3	2
30-34	119	91	4 3.4	107	90	10 8	2	2
35-39	49	28	1 2.0	45	92	3 6	1	2
40+	8	5	1 12.5	7	88	1 13	_	2
-				,		1 13	•	•
OHAHOWH	U		•	•	•		•	•
40+ Unknown Feenage Births	8 0 53	31		•		1 13 · · · · · · · · · · · · · · · · · ·	ss than 5	bir

MORBIDITY			MO F	RTALITY					
1	l Note: Death rates	(except in	nfant) are	per 100.000 population.	Infant.	1			
	Note: Death rates (except infant) are per 100,000 population. Infant,   neonatal, and postneonatal death rates are per 1,000 live births.								
REPORTED* CASES OF SELECTED DISEASE	S   Perinatal a	Perinatal and fetal death rates are per 1,000 live births plus							
	fetal death	fetal deaths. Rates are not calculated for fewer than 20 deaths.							
	l letter death	retat deaths. Nates are not catculated for rewell than 20 deaths.							
Disease Number	r   TOTAL DEATHS		410	Selected		i			
Campylobacter Enteritis	er   TOTAL DEATHS 5   Crude Death	Rate	938	Underlying Cause	Deaths	Rate i			
Giardiasis	7			Heart Disease (total)	101	231			
	5			Ischemic heart disease		160			
	5 Age	Deaths	Rate	Cancer (total)	113	259 i			
Hepatitis NANB/C	16   1-4			Trachea/Bronchus/Lung		85 i			
Legionnaire's	5   5-14				_	05			
	1 1 15-19	2		Colorectal   Female Breast	2	.*			
	0   20-34	13	•	Cerebrovascular Disease	e 14	. !			
	5 I 35-54	36	27 <b>0</b>	Lower Resp. Disease		.			
Meningitis, Aseptic	0   55-64	36 34	870	Pneumonia & Influenza	10	.			
Mumps	0   65-74	62	2,027	Accidents	24	55 I			
l Pertussis	0 1 75-84	130	5,415	Motor vehicle		ا دد			
	5   73-84 5   85+	131	14,912	Notor Verrete   Diabetes	20	46 I			
	5   85 <sup>+</sup>	131	14,912	Infectious & Parasitic	20 5	· · · · · · · · · · · · · · · · · · ·			
Tuberculosis				Suicide	12	·			
Tuber Cutos is	Infant			Juicide	12	. !			
  *   2001 provisional data	IIIIdiil	Doaths	Rate	<pre>  * Rate for female breas</pre>	t cancor h	nacod I			
** Includes all positive HBsAg	Total Infant	ר שפענווא	Nate	on female popula		Jaseu j			
test results	Mortality   Total Infant   Neonatal   Postanonatal	2	•	l on remate bobuta	LIOII.	ļ			
l restresuits	Neonatal	۷	•	I ALCOHOL AND DRUG ABUSE	AC HINDEDLA	/TNC			
	l Unknown	•	•	OR CONTRIBUTING CAUS					
Sexually Transmitted Disease	I OHKHOWH	•	•	I ON CONTRIBUTING CAU.	DE OF DEATH	' ¦			
Chlamydia Trachomatis	00   Race of Mother			   Alcohol	6	ł			
Genital Herpes	5   White	1		1 Other Drugs	5	.			
	24   Black	1	•	Alcohol   Other Drugs   Both Mentioned	1	. !			
Syphilis	0 l Other	i	•	I both helitrolled	1	. !			
l Sypiritis	I Unknown		•	   MOTOR VEHICL	- CRASHES -				
	I OHKHOWH	•	•	I HOTOK VEHICE	- CIVASIILS -				
	ı   Birthweight			   Note: These data are	nased on lo	ncation I			
IMMUNIZATIONS	Birthweight   <1,500 gm   1,500-2,499 gm	2		of crash, not of					
I IIIIONIZ//IIONS	1 1 500 5 m	2	•	I or crash, not of	i i caraciico	-			
Children in Grades K-12 by	1,300-2,433 gm	•	•	I Type of Motor	Persons Pe	reone l			
Compliance Level	Unknown		•	Type of Motor Vehicle Crash Total Crashes	Injured k				
Compliant 7 220	l Olikilowii	•	•	Total Crashes	•	6 I			
Compliant 7,220 Non-compliant 152				Total Crashes Alcohol-Related	79	2 1			
Percent Compliant 97.9	I I Perinatal			With Citation:	13	۷			
I referre competant 37.3	Mortality	Deaths	Rate	For OWI	44	0			
	I Total Parinata	טבמנווט ז ז	Nace	For Speeding	11	0 1			
	l Neonatal	2	•	For Speeding Motorcyclist	12	0 1			
	Total Perinata Neonatal Fetal	۷	•	Bicyclist	8	0			
	l ICCAL	•	•	Pedestrian	9	1			
1	 					۱ +			

Per Average Charge | Per Average Charge DISEASE / 1,000 Stay Average Per AGE GROUP Number Pop (Days) Charge Capita Alcohol-Related
Total 41 0.9 7.3 \$6,794
18-44 28 1.7 8.5 \$6,271
45-64 12 . . . Injury-Related: All \$6 \$11 \$18 Injury: Hip Fracture \$94 Injury: Poisonings Psychiatric
Total 39 0.9 20.4 \$13,458 \$12
<18 6 . . . . .
18-44 17 . . . .
45-64 8 . . . . .
65+ 8 . . . . . Chronic Obstructive Pulmonary Disease Total 57 1.3 4.0 \$6,271
<18 4 . . .
18-44 5 . . .
45-64 20 1.9 4.7 \$7,036
65+ 28 4.4 4.1 \$6,779

Drug-Related
Total 8 . . .
18-44 2 . . . \$14 \$30 

 Coronary Heart Disease
 Image: Coronary Heart Disease
 < Malignant Neoplasms (Cancers): All Neoplasms: Female Breast (rates for female population) | ------ PREVENTABLE HOSPITALIZATIONS\* ------Total 337 7.7 3.6 \$6,207 \$48 <18 8 0.8 1.6 \$2,284 \$2 18-44 33 2.0 2.7 \$4,714 \$9 45-64 74 7.2 3.4 \$6,096 \$44 65+ 222 35.0 3.9 \$6,607 \$231 Total 4 . . . . . Neoplasms: Colo-rectal \* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. iabetes | The definition of preventable hospitalizations in 2001 | Total 18 . . . | is consistent with the 1997 definition. | Please refer to the note at the bottom of this page in the Diabetes 1997 report for an explanation of the change made between 1996 and 1997.